



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D4885-1

Job Sheet 185408



Part No: D4885-1

Job Qty: 6 ea

Part Name: End Fitting



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 10/25/18

Job Tracking No:

Due Date: 12/20/18

Created By: Patrick Lussier

Type: Stock

Description:

Note: DWG REV A IPP REV:A NEW ISSUE JLM 14-01-28 VERIFIED BY:JFS

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Purchasing	6 pcs		12/20/18			ATG001-VC	5	NOV 30 2018
110	QC	6 pcs		12/20/18	0.00	0.00	QC6		38
150	Outsource	6 pcs		12/20/18			SKY002-VC		38
160	Packaging	6 pcs		12/20/18	0.00	0.00	Packaging2		38
170	QC	6 pcs		12/20/18	0.00	0.00	QC5		38
180	Packaging	6 pcs		12/20/18	0.00	0.00	Packaging3-2		38
190	QC21-SA	6 Ea		12/20/18	0.00	0.00	QC21		38

Part Op 100 - ISSUE P/O: 041471 POSSIBLE SUPPLIER: ATG C OF C IS REQUIRED

Descriptions: 110 - QC6- All purchased or subcontracted products

150 - Issue P/O: 041952 LPI Per ASTM 1417 LEVEL 2 Certificate of conformity is required

160 - Receive & Inspect for Damage & Mat'l Certs Ensure certificate of conformity is attached

170 - QC5- Inspect part completeness to step on W/O

180 - Identify as per dwg & Stock Location:

190 - QC21- Final Inspection - Work Order Release

oct 25, 2018 x 6

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D4885-1P	End Fitting	6 pcs (1 ea)	100-Purchasing	S133601
M17-4-H900-R2.000	17-4 SS H900 Round Bar 2.000"	2.4000 ft (.4 ea)	100-Purchasing	S133605

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-Purchasing	D4885-1P	6	0	0
	M17-4-H900-R2.000	2	24	0



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S133606



Part: D4885-1

Job No: 185408

Serial No/Batch: S133606

Revision:

Inspector:

Exp Date:

Instructions: Various STC's

Date: 11/30/18

ifications

ould not be found.

Plex 10/25/18 2:22 PM dart.Lussier.Patrick

NOV 3 1953

NOV 3 1953

NOV 3 1953

NOV 3 1953

NOV 3 1953

NOV 3 1953

NOV 3 1953

NOV 3 1953

NOV 3 1953

NOV 3 1953



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041471**

Supplier: WEJ001-VC
Wejay Machine Products Co. Ltd
600 O'Connor Drive
Kingston
ON
K7P 1N3 Canada
Phone: 613-384-1662
Fax: 613-384-2997

PO No: PO041471

PO Date: 10/25/18

Due Date: 11/1/18

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Phone:

Via: Ground

Pymt Terms: Net 60

Freight Terms:

Special Comments:

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Items

Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	183763	D4885-1P			End Fitting : Various STC's receive pcs	Firmed	-	11/1/18	6 pcs	0 pcs	6 pcs	\$638.00/pcs	\$3,828.00
2	185408	D4885-1P			End Fitting : Various STC's receive pcs	Firmed	-	12/20/18	6 pcs	0 pcs	6 pcs	\$638.00/pcs	\$3,828.00
Grand Total:												\$7,656.00	

Order Notes

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Procurement Quality Clauses

A005 RIGHT OF ENTRY

A007 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION MAINTAINED BY SUPPLIER)

A012 CHEMICAL AND PHYSICAL TEST REPORTS

A016 PERSONNEL QUALIFICATION

A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENT

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

Plex 10/25/18 2:25 PM dart.Lussier.Patrick

DAS
38
9-89



Packing Slip 39311A

600 O'CONNOR DRIVE, KINGSTON, ONTARIO K7P 1N3
TEL: 613-384-1662 FAX: 613-384-2997
www.wejay.com

S
O
L
D

T
O


Dart Aerospace
1270 Aberdeen Street
Hawkesbury ON K6A 1K7

S
H
I
P

T
O

Dart Aerospace
1270 Aberdeen Street
Hawkesbury ON K6A 1K

Attn: Robert Aboud - Dir

INVOICE DATE		YOUR ORDER NO. 041471		DATE ORDERED 10/25/18		SHIPPED VIA Best way	
CUSTOMER CODE DART		PROV. LIC. NO.		Extra ☐ Exempt ☐		TERMS	
QUANTITY ORDERED 6	B.O. 0	QUANTITY SHIPPED 6	DESCRIPTION End fitting as per drawing D4885-1P Job number: 185408 Required by: December 20, 2018			UNIT PRICE	AMOUNT
RELEASE NOTE I certify that the items listed hereon have been inspected and tested and conform to all specifications and requirements in the contract or purchase order. Inspection Supervisor  Nov. 28/18						WMP 03	H.S.T.

ORDER: COMPLETE ☐
PARTIAL ☐

TOTAL

RECEIVED BY _____
1.5% PER MONTH (18% PER ANNUM)
CHARGED ON OVERDUE ACCOUNTS

NO GOODS RETURNED WITHOUT
PRIOR AUTHORIZATION

600 O'CONNOR DRIVE, KINGSTON, ONTARIO K7P 1N3
 TEL: 613-354-1662 FAX: 613-354-1697
 WWW.WEJAY.COM



CUSTOMER CODE		PROV. LIC. NO.		DATE ORDERED		YOUR ORDER NO.	
QUANTITY ORDERED	E.C.	DESCRIPTION	EXT.	EXT.	EXT.	EXT.	EXT.
UNIT PRICE	AMOUNT						
RELEASE NOTE I hereby certify that the items listed herein have been inspected and found to be in accordance with the specifications and requirements of the contract or purchase order. WMS 03 H.S.T.							
TOTAL		☐ COMPLETE ORDER ☐ PARTIAL ORDER					

RECEIVED BY _____
 1.5% PER MONTH (18% PER ANNUM)
 CHARGED ON OVERDUE ACCOUNTS
 NO GOODS RETURNED WITHOUT PRICE AUTHORIZATION



600 O'CONNOR DRIVE, KINGSTON, ONTARIO K7P 1N3

PHONE: (613) 384-1662

FAX: (613) 384-2997

CERTIFICATE OF COMPLIANCE

CUSTOMER: DART Aerospace	DATE: Nov. 28, 2018		
	P.O.# 41471 line 2		
	WEJAY JOB# 39311A		
I hereby certify that the following material has been inspected/tested and conforms to the requirements and specifications as stated in your contract and as noted below.			
PART NO.	QTY.	PROCESS (ES)	SPECIFICATION / REV
D4885-1P 'End Fitting' Job: 185408	6	Machined complete per dwg req'ts.	D4885 / rev. A
Note: 1) Material supplied by DART. ref # S120117. 2) 1st article Inspection report attached.			

Records of Inspection/Test will be retained for 5 years minimum.

Sincerely,

Clifford Smith

Authorized Q.A. Signatory

1941

UNITED STATES GOVERNMENT

OFFICE OF THE
DIRECTOR
BUREAU OF REVENUE

THE FOLLOWING IS A SUMMARY OF THE REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.

REVENUE RECEIVED BY THE UNITED STATES GOVERNMENT FOR THE YEAR 1941.



Customer DART Customer P.O. 41471
 Drawing # D4885 Drawing rev A
 Part Number D4885 E.C.O. -
 Part Name End Fitting Material 17-4 PH/S17400/TYPE 630 SS COND. H900
 Serial # 39311-004 Inspected by Cliff Smith
 Job # 39311 Signature:



Overall Result

All Characteristics: 37
 Out of tolerance: 0
 Over Warning Limit: 0
 Not Calculated: 0

Comment: Final Dim Insp.
 Material supplied by DART ref. #S120117

1ST ARTICLE

Feature	ID	Actual	Nominal	Pos Tol.	Neg Tol.	Deviation	<-- -->
1 B5 .670 dia	D	0.6696	0.6700	0.0000	-0.0010	-0.0004	--
2 B3 .125 dia hole 1	D	0.1249	0.1250	0.0040	-0.0010	-0.0001	--
3 B3 23.5 deg angle	A1	23.4768	23.7000	0.5000	-0.5000	-0.2232	--
hole 1 Perp to .670 dia	GDT Perp	0.0001	0.0000	0.0010		0.0001	-
Hole 1_GDT Symmetry to .670 dia	GDT Sym	0.0007	0.0000	0.0050		0.0007	-
4 B2 .125 dia hole 2	D	0.1249	0.1250	0.0040	-0.0010	-0.0001	--
5 B2 36.5 deg angle	A1	-36.4838	-36.4667	0.5000	-0.5000	-0.0171	-
hole 2 Perp to .670 dia	GDT Perp	0.0000	0.0000	0.0010		0.0000	-
Hole 2_GDT Symmetry to .670 dia	GDT Sym	0.0002	0.0000	0.0050		0.0002	-
6 C5 .43 dim	X	-0.4239	-0.4300	0.0300	-0.0300	0.0061	-
7 C6 .500 hole pitch	ResEle	0.5015	0.5000	0.0100	-0.0100	0.0015	-
8 D4 .250_.249 dia	D	0.2495	0.2500	0.0000	-0.0010	-0.0005	-
9 C7 2.308 dim	ResEle	-2.3071	-2.3080	0.0050	-0.0050	0.0009	-
10 D4 .119 dim_.250 hole		-0.1201	-0.1190	0.0100	-0.0100	-0.0011	-
11a B6 1.41 dim	X	-1.4113	-1.4100	0.0300	-0.0300	-0.0013	-
11b C6 23.7 deg angle	A1	23.7627	23.7443	0.5000	-0.5000	0.0184	-
12 D5 .44 dim	Z	0.4395	0.4400	0.0300	-0.0300	-0.0005	-
13 D4 .50 dim	CartDist	0.5000	0.5000	0.0300	-0.0300	0.0000	-
14 C3 .43 dim	Y	0.4304	0.4300	0.0300	-0.0300	0.0004	-
15 B8 1.10 dim	CartDist	1.0994	1.1000	0.0300	-0.0300	-0.0006	-
16 D5 .80 dim	Y	0.7995	0.8000	0.0300	-0.0300	-0.0005	-
17 C5 .60 dim	X	0.6002	0.6000	0.0300	-0.0300	0.0002	-
18 D5 .55 ref dim	CartDist	0.5485	0.5500	0.0300	-0.0300	-0.0015	-
19 D1 .49 rad	R	0.4854	0.4900	0.0300	-0.0300	-0.0046	-
20 D3 .065 Wall Thk	CartDist	0.0644	0.0650	0.0100	-0.0100	-0.0006	-
21 D3 .97dim	CartDist	0.9709	0.9700	0.0100	-0.0100	0.0009	-
22 D8 .60 dim	X	0.6006	0.6000	0.0300	-0.0300	0.0006	-
23 D8 .30 dim	CartDist	0.2844	0.3000	0.0300	-0.0300	-0.0156	--
24 D8 .13 rad	R	0.1245	0.1300	0.0300	-0.0300	-0.0055	-
25 D7 1.89 dim	X	1.8960	1.8900	0.0300	-0.0300	0.0060	-
26 C7 .75 rad	R	0.7692	0.7500	0.0300	-0.0300	0.0192	--
27 B4 .86 dia	D	0.8603	0.8600	0.0300	-0.0300	0.0003	-

10-10-1914

10-10-1914

10-10-1914

10-10-1914

Measurement Plan D4885 rev. A

Date November 19, 2018 2

Part Number D4885

Serial # 39311-004

Time 4:16:09 pm



Feature	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
---------	----	--------	---------	---------	---------	------	---------

Manually Inspected Features

28 D5 .500 dia bore
 29 D6 1.54 bore depth
 30 C7 .09 rel. drill point
 31 C5,D5 .017 x .030 chamfer
 32 D5 R .13 fillet 2 pl.
 33 D8 .063 wall thickness
 34 D7 R 0.06 fillet
 35 C7 3.70 O.A. length
 36 A8,C3 Engraving per note 6
 37 A8 Deburring per note 5
 38 B6 R .031

8.5025
 1.529
 .090
 .016 x .028
 R.130 TYP.
 .0632-.0638
 R.060 TYP.
 3.687
 PASSED
 PASSED
 R.030



Customer DART Customer P.O. 41471
 Drawing # D4885 Drawing rev A
 Part Number D4885 E.C.O. -
 Part Name End Fitting Material 17-4 PH/S17400/TYPE 630 SS COND. H900
 Serial # 39311-008 Inspected by Cliff Smith
 Job # 39311 Signature:



Overall Result

All Characteristics: 37
 Out of tolerance: 0
 Over Warning Limit: 0
 Not Calculated: 0

Comment: Final Dim Insp.
 Material supplied by DART ref. #S120117

Feature	ID	Actual	Nominal	Pos Tol.	Neg Tol.	Deviation	<-- -->
1 B5 .670 dia	D	0.6695	0.6700	0.0000	-0.0010	-0.0005	
2 B3 .125 dia hole 1	D	0.1249	0.1250	0.0040	-0.0010	-0.0001	—
3 B3 23.5 deg angle	A1	23.4991	23.7000	0.5000	-0.5000	-0.2009	—
hole 1 Perp to .670 dia	GDT Perp	0.0000	0.0000	0.0010		0.0000	—
Hole 1_GDT Symmetry to .670 dia	GDT Sym	0.0003	0.0000	0.0050		0.0003	—
4 B2 .125 dia hole 2	D	0.1249	0.1250	0.0040	-0.0010	-0.0001	—
5 B2 36.5 deg angle	A1	-36.4100	-36.4667	0.5000	-0.5000	0.0567	—
hole 2 Perp to .670 dia	GDT Perp	0.0000	0.0000	0.0010		0.0000	—
Hole 2_GDT Symmetry to .670 dia	GDT Sym	0.0002	0.0000	0.0050		0.0002	—
6 C5 .43 dim	X	-0.4240	-0.4300	0.0300	-0.0300	0.0060	—
7 C6 .500 hole pitch	ResEle	0.5016	0.5000	0.0100	-0.0100	0.0016	—
8 D4 .250_.249 dia	D	0.2494	0.2500	0.0000	-0.0010	-0.0006	—
9 C7 2.308 dim	ResEle	-2.3063	-2.3080	0.0050	-0.0050	0.0017	—
10 D4 .119 dim_.250 hole	D	-0.1188	-0.1190	0.0100	-0.0100	0.0002	—
11a B6 1.41 dim	X	-1.4103	-1.4100	0.0300	-0.0300	-0.0003	—
11b C6 23.7 deg angle	A1	23.7463	23.7443	0.5000	-0.5000	0.0019	—
12 D5 .44 dim	Z	0.4393	0.4400	0.0300	-0.0300	-0.0007	—
13 D4 .50 dim	CartDist	0.4996	0.5000	0.0300	-0.0300	-0.0004	—
14 C3 .43 dim	Y	0.4308	0.4300	0.0300	-0.0300	0.0008	—
15 B8 1.10 dim	CartDist	1.0991	1.1000	0.0300	-0.0300	-0.0009	—
16 D5 .80 dim	Y	0.7991	0.8000	0.0300	-0.0300	-0.0009	—
17 C5 .60 dim	X	0.6002	0.6000	0.0300	-0.0300	0.0002	—
18 D5 .55 ref dim	CartDist	0.5493	0.5500	0.0300	-0.0300	-0.0007	—
19 D1 .49 rad	R	0.4854	0.4900	0.0300	-0.0300	-0.0046	—
20 D3 .065 Wall Thk	CartDist	0.0639	0.0650	0.0100	-0.0100	-0.0011	—
21 D3 .97dim	CartDist	0.9712	0.9700	0.0100	-0.0100	0.0012	—
22 D8 .60 dim	X	0.6005	0.6000	0.0300	-0.0300	0.0005	—
23 D8 .30 dim	CartDist	0.2843	0.3000	0.0300	-0.0300	-0.0157	—
24 D8 .13 rad	R	0.1244	0.1300	0.0300	-0.0300	-0.0056	—
25 D7 1.89 dim	X	1.8959	1.8900	0.0300	-0.0300	0.0059	—
26 C7 .75 rad	R	0.7615	0.7500	0.0300	-0.0300	0.0115	—
27 B4 .86 dia	D	0.8598	0.8600	0.0300	-0.0300	-0.0002	—

1937



Measurement Plan D4885 rev. A

Date November 19, 2018 2

Part Number D4885

Serial # 39311-008

Time 4:22:26 pm



Feature	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
---------	----	--------	---------	---------	---------	------	---------

Manually Inspected Features

28	D5	.500 dia bore					<u>Ø.5025</u>
29	D6	1.54 bore depth					<u>1.530</u>
30	C7	.09 rel. drill point					<u>.090</u>
31	C5,D5	.017 x .030 chamfer					<u>.015 x .027</u>
32	D5	R .13 fillet 2 pl.					<u>R.130 TYP.</u>
33	D8	.063 wall thickness					<u>.062 -.0635</u>
34	D7	R 0.06 fillet					<u>R.060 TYP.</u>
35	C7	3.70 O.A. length					<u>3.687</u>
36	A8,C3	Engraving per note 6					<u>PASSED</u>
37	A8	Deburring per note 5					<u>PASSED</u>
38	B6	R .031					<u>R.030</u>

Wojtyła



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041952**

Supplier: SKY002-VC
Skyservice
6120 Midfield Road
Mississauga
ON
L5P 1B1 Canada
Phone: 905-678-5636
Fax: 905-678-5841

PO No: PO041952
PO Date: 12/5/18
Due Date: 12/10/18
Purchase Order
Revision:
Revision Date:
Ship-To Contact: Tsimiklis, ChrisoulaPhone:

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground
Pymt Terms: Net 30
Freight Terms:
Special Comments:

Items

Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	187314	D4881-1	Strut : Various STC's Outsource process - NDT per QSI038 4.1 ISSUE P/O : _____ C OF C IS REQUIRED	Firmed	-	12/10/18	3 pcs	0 pcs	3 pcs	\$22.50/pcs	\$67.50
2	185408	D4885-1	End Fitting : Various STC's Issue P/O: _____ LPI Per ASTM 1417 LEVEL 2 Certificate of conformaty is required	Firmed	-	12/10/18	6 pcs	0 pcs	6 pcs	\$22.50/pcs	\$135.00
Grand Total:											\$202.50

DAS
38
9-89

CL

Plex 12/5/18 11:24 AM dart.tsimiklis.chrisoula



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER
PO041952

Order Notes

Procurement Quality Clauses

A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)

A022 Apical Processing
A024 process certifications
A026 certification of material conformance

A041 quality management system
A042 dart notification by supplier
A043 retension of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 12/5/18 11:24 AM dart.tsimiklis.chrisoula

**skyservice****Work Order Traveler**
Sky Service F.B.O. Inc.

10105 Ryan Avenue, Dorval, Quebec, H9P 1A2

TCCA AMO 53-89 / EASA 145.7142 / BDA AMO 385

WO #: MWO38525	Customer: Dart Aerospace Ltd.	Dept: NDT YUL	Reference: PO041952
Descr:	PN:	S/N:	Qty: 1
Make:	Model:	Reg:	A/C S/N:
TSN:	CSN:	TSO:	
Task: UNSCHEDULED			Sequence: 1

Work Required:

CARRY OUT NDT ON NINE PARTS AS PER PO: PO041952

3 STRUTS , P/N# D4881-1, J/S# 187314

6 END FITTING , P/N# D4885-1 , J/S# 185408

Action Taken:						Date:	Initial/Stamp:
LPI C/O IAW ASTM E-1417M-16 NO CRACK FOUND PEN ZL-37, MPO13139, CLEANER SKC-S MPO15030, EMU. MPO15896, DEV. MPO15030, UV LIGHT M-20142						DEC 10 2018	 
Description	Location	P/N	Qty	Batch	S/N Off	S/N On	

I certified that the maintenance described above has been performed in accordance with the applicable standard of airworthiness.

Signature:	ACA/SCA Stamp	Date:
Name: RAFIK MELIKIAN		DEC 10 2018

...

8700 01 72

AC
10
2

8700 01 72

8700 01 72